

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

May 16, 2016

Kaysie Breer, Manager
Mayo Residential Care
610 Water Street
Northfield, VT 05663-5640

Dear Ms. Breer:

The Division of Licensing and Protection completed a complaint investigation at your facility on **May 2, 2016**. The purpose of the investigation was to determine if your facility was in compliance with Residential Care Home Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,



Pamela Cota, RN
Licensing Chief

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0199	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 05/02/2016
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

MAYO RESIDENTIAL CARE

**610 WATER STREET
NORTHFIELD, VT 05663**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R100	Initial Comments: The Division of Licensing and Protection conducted an unannounced investigation of two facility self reports on 5/2/16. There were no regulatory violations identified.	R100		

Division of Licensing and Protection

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE